

10/076, 029.



Alston & Bird LLP  
Bank of America Plaza  
101 South Tryon Street, Suite 4000  
Charlotte, NC 28280-4000  
(704) 444-1000  
Fax (704) 444-1111

C of C

March 10, 2006

**Certificate  
of Correction**

MAR 20 2006

Certificate of Correction Branch  
Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

Re: United States Patent for *Systems and Methods for Scheduling Reoccurring Deliveries and Pickups*  
Application No. 10/076,029; Filed February 12, 2002  
Patent No. 6,985,871; Issued January 10, 2006  
Our File 018360/233698

Sir:

It is respectfully requested that a Certificate of Correction be issued for the above-identified patent, in accordance with 37 C.F.R. §1.322. This request is made in order to correct the mistakes incurred through the fault of the United States Patent and Trademark Office ("USPTO").

**For the deletion of claim 11 (formerly claim 80) and the insertion of claim 82, Applicant respectfully refers to page 4 of the Notice of Allowability, wherein the Examiner states to cancel claims 80 and 81. Then further note on page 1 that the Examiner has allowed claim 82, which is missing from the patent.**

The mistakes appearing in the patent are set forth on the Certificate of Correction enclosed herewith, with an additional copy thereof and a postal card being enclosed in accordance with the present USPTO practice.

Respectfully submitted,

A handwritten signature in black ink, appearing to read "Scott E. Brient".

Scott E. Brient  
Registration No. 44,561

/kc  
Enclosures  
CLT01/4794305v1

3/21/2006

# UNITED STATES PATENT AND TRADEMARK OFFICE

## CERTIFICATE OF CORRECTION

PATENT NO. : 6,985,871 B2  
DATED : January 10, 2006  
INVENTOR(S) : Simon et al.

Page 1 of 1

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Title Page,

Item (56), References Cited, OTHER PUBLICATIONS,  
Line 2, "New Yprk" should read --New York--.

Column 18,

Line 16, "request" should read --requested--;  
Line 18, "tying" should read --trying--;  
Lines 19 (both occurrences), 23, and 24, "wich" should read --which--.

Column 22,

Line 66, cancel the first "the".

Column 23,

Line 1, after "one" insert --or--;  
Line 2, "wich" should read --which--;  
Line 5, "display" should read --displayed--.

Column 29,

Line 66, "an" should read --on--.

Column 30,

Lines 40-49, delete Claim 11 in its entirety and insert claim 82 as follows:  
--The computer-readable medium of claim 1, wherein said particular time window is about one hour in length.--.

MAILING ADDRESS OF SENDER:

ALSTON & BIRD LLP  
Bank of America Plaza  
101 South Tryon Street, Suite 4000  
Charlotte, NC 28280-4000  
Tel Charlotte Office (704) 444-1000

6,985,871 B2

PATENT NO.

No. of add'l. copies  
@ 30¢ per page



# UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

PATENT NO. : 6,985,871 B2  
DATED : January 10, 2006  
INVENTOR(S) : Simon et al.

Page 1 of 1

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Title Page,

Item (56), References Cited, OTHER PUBLICATIONS,  
Line 2, "New Yprk" should read --New York--.

Column 18,

Line 16, "request" should read --requested--;  
Line 18, "tying" should read --trying--;  
Lines 19 (both occurrences), 23, and 24, "wich" should read --which--.

Column 22,

Line 66, cancel the first "the".

Column 23,

Line 1, after "one" insert --or--;  
Line 2, "wich" should read --which--;  
Line 5, "display" should read --displayed--.

Column 29,

Line 66, "an" should read --on--.

Column 30,

Lines 40-49, delete Claim 11 in its entirety and insert claim 82 as follows:  
--The computer-readable medium of claim 1, wherein said particular time window is about one hour in length.--.

MAILING ADDRESS OF SENDER:

ALSTON & BIRD LLP  
Bank of America Plaza  
101 South Tryon Street, Suite 4000  
Charlotte, NC 28280-4000  
Tel Charlotte Office (704) 444-1000

PATENT NO.

6,985,871 B2

No. of add'l. copies  
@ 30¢ per page

